

EXPERIENCE THE DIEDRICH DIFFERENCE
A QUALITY ROAST EVERY TIME, AT EVERY SCALE.



SPECIALTY ROASTERS

WORLD CLASS CUSTOMER SUPPORT

INNOVATION. PRECISION. REPEATABILITY.

Every handcrafted roaster is designed and engineered to deliver quality and consistency to achieve superb results batch after batch. Your roaster is built to fulfill your specific roasting requirements and specifications and to fit seamlessly into your workflow.

Whether you're just getting started or ready to expand, we will partner with you to provide the perfect roasting solution to achieve optimal efficiency and profitability.



HANDCRAFTED IN THE USA

Every Diedrich Roaster is custom built and rigorously tested to meet the highest quality standards.



EXCEPTIONAL CUSTOMER SUPPORT

You can depend on Diedrich to be there for you from green to ground to maximize your investment.



CHICAGO, USA

COMPREHENSIVE COFFEE EDUCATION CENTER

Hands-on training that will take your craft to the next level.

DR-3


SPECIALTY ROASTER

FEATURING NEW
DR-3



The DR-3 is designed to roast approx 6.6 lbs (3 kg) of green coffee per batch.

TECHNICAL INFORMATION



Hourly Capacity

Up to 26.4 lbs (12 kg)
(based on 4 roasts per hour)

Standard Equipment Dimensions

54" x 39" x 68" ½; 1372 x 991 x 1740mm
(Overall Dimensions May Vary with Optional Items)

Volts AC: 110-230 Single Phase


IR-5

SPECIALTY ROASTER



The IR-5 is designed to roast up to approx. 11 lbs (5 kg) of green coffee per batch.

TECHNICAL INFORMATION



Hourly Capacity

Up to 44 lbs
(based on 4 roasts per hour)

Standard Equipment Dimensions

56" $\frac{1}{4}$ x 48" $\frac{1}{8}$ x 71" $\frac{3}{8}$; 1429 x 1222 x 1813 mm
(Overall Dimensions May Vary with Optional Items)

Volts AC (Single Phase): 110-120 or 200-240


IR-12

SPECIALTY ROASTER



The IR-12 is designed to roast up to approx. 26.4 lbs (12 kg) of green coffee per batch.

TECHNICAL INFORMATION



Hourly Capacity

Up to 106 lbs
(based on 4 roasts per hour)

Standard Equipment Dimensions

56" 1 4 x 48" 1 8 x 75" 1 2; 1429 x 1222 x 1918 mm
(Overall Dimensions May Vary with Optional Items)

Volts AC (Single Phase): 110-120v or 200-240v Single Phase

DR-25

SPECIALTY ROASTER


FEATURING NEW

DR-25



The DR-25 is designed to roast up to approx. 55 lbs (25 kg) of green coffee per batch.

TECHNICAL INFORMATION



Hourly Capacity

Up to 220 lbs
(based on 3.5 roasts per hour)

Standard Equipment Dimensions

9'1" x 5'8" x 8'9"; 2769 x 1727 x 2667 mm
(Overall Dimensions May Vary with Optional Items)

Volts AC (1-Phase): 220v/60Hz or 230v/50Hz Single Phase

SALES

1 844.343.3742

TECH SUPPORT

1 888.519.0069

MAILING ADDRESS

850 HAWTHORNE AVE.
PONDERAY, IDAHO 83852, USA

